

# J Series

# Explosion Proof Edge Lit LED Exit Light







#### Certifications:

- Marking UL844 (North American)
  - Class I, Division 1, Groups B, C, D
  - Olass I, Division 2, Groups A, B, C, D
  - Olass II, Division 1, Groups E, F, G
  - Olass II, Division 2, Groups F, G
  - Class III

- UL Marking
  - **O** UL924
  - **O** UL844
- UL 121201/CSA NO.213
- OSA C22.2 No.137-18
- Temperature Class (T-Rating)-T6

#### Standard Materials:

- Housing: A356T6 aluminum (less than .4% copper content) with baked-on gray epoxy finish
- Gasket: One-piece silicone
- Hardware: Stainless steel
- Mounting Sling: Stainless steel
- EXIT Sign: Tempered glass

**Aleddra LED Lighting** 

Email: sale@aleddra.com


www.aleddra.com Tel: 425-430-4555 IP66

## J Series Explosion Proof Edge Lit LED Exit Light

#### Key Features:

- (1) Low energy consumption (3W/5W).
- (2) 3-hour emergency operation.
- (3) Alternate exit legend and languages available.
- (4) Provided with 3/4 " NPT or M25 conduit hubs.
- (5) Long lifespan up to 50,000 hours.
- (6) Multiple installation options: wall mounting, pendant mounting, and pendant mounting with safe-wire.
- (7) Working temperature ranges from -40°F to 140°F.
- (8) 5-year warranty.
- 9 Edge-lit sign

#### Ordering Guide:



- 1 Products for use in Harzardous Locations
  - EX- For all exit sign lights.

- Lighting ystem input wattage rating1W; 2W; 3W; 4W; 5W
- 3 Model seies

   J Series

- 4 Dimming feature opyion
  - N= Non-dimmable

- 5 LED color for LED lighting
  - G=Green color
  - R=Red color

- 6 BEAM ANGLE
  - **o** D180= 180°

#### **Technical Data:**

Model	Wattage	Operating Voltage	CRI	Color Temperature	Emergency Time
EX-3W JNGD180	3W(Max)	AC100-277V AC100-347V	>70	Red or Green	3 hours
EX-5W JNGD180	5W(Max)				

### Packing Information:


Model	Quantity/Carton	Packing Size	Net Weight	Gross Weight
J	2 Pcs	18.50x18.50x10.24inch	13.23 lbs	30.86 lbs

Aleddra LED Lighting
Email: sale@aleddra.com


www.aleddra.com Tel: 425-430-4555





# J Series Explosion Proof Edge Lit LED Exit Light



## Mounting Methods and Accessories:







**Aleddra LED Lighting** Email: sale@aleddra.com www.aleddra.com Tel: 425-430-4555