



RSR SERIES ALUMINUM CORD GRIPS



RSR SERIES STRAIGHT ALUMINUM CORD GRIPS

Tuff-Seal™ RSR Series Aluminum Cord Grips are UL Listed and CSA Certified for use in both indoor and outdoor applications to prevent cable pullout, control arc of bend, and to provide a tight seal against environmental elements such as dirt, moisture and coolants.

The breadth of the line encompasses conduit sizes from 1/4" to 4" with fittings offered in machined aluminum, nickel-plated aluminum, steel, stainless steel, nylon and Valox®. Other features of the family of RSR Cord Grips include:

- A unique design with a combination tightening surface that includes both a hex area and a knurled surface
- Available with or without stainless steel wire mesh
- Optional embedded BUNA-N® O-Ring ensures a watertight and corrosion-resistant seal
- Available in NPT, PG, ISO or Metric threads
- Anti-friction washer that fits between the nut and bushing for easier compression.

(Continues on pages 14-15)

NOTES

CORD GRIP ACCESSORIES

Locknuts: add "-L" to any part number

O-Rings: add "-R" to any part number

OPTION: NICKEL-PLATED ALUMINUM

Add 'N' to end of prefix e.g. RSR-0003 becomes RSRN-0003

OPTION: ANODIZED ALUMINUM

Add 'A' to end of prefix e.g. RSR-0003 becomes RSRA-0003.

SPECIAL CONFIGURATIONS

Special configurations and materials are available. Consult factory.



All wire mesh is stainless steel.

Dimension & certification information on pages 62 & 64 in Tuff-Seal Technical Reference



Suitable for
use in
corrosive
environments

COMPLETE ASSEMBLY PART NUMBERS







RSR SERIES ALUMINUM CORD GRIPS

Conduit Size (NPT)	Cable Range	Cord Grip	Cord Grip With Mesh	
1/4"	.125 - .188	RSR-0003	***	
	.188 - .250	RSR-0004	RSR-0004-E	
	.250 - .312	RSR-0005	RSR-0005-E	
	.312 - .375	RSR-0006	RSR-0006-E	
	.375 - .438	RSR-0007*	RSR-0007-E	
3/8"	.125 - .188	RSR-003	***	
	.188 - .250	RSR-004	RSR-004-E	
	.250 - .312	RSR-005	RSR-005-E	
	.312 - .375	RSR-006	RSR-006-E	
	.375 - .438	RSR-007*	RSR-007-E	
1/2"	.125 - .188	RSR-1003	***	
	.188 - .250	RSR-1004	RSR-1004-E	
	.250 - .312	RSR-1005	RSR-1005-E	
	.312 - .375	RSR-1006	RSR-1006-E	
	.375 - .438	RSR-1007	RSR-1007-E	
	.125 - .188	RSR-103	***	
	.188 - .250	RSR-104	RSR-104-E	
	.250 - .312	RSR-105	RSR-105-E	
	.312 - .375	RSR-106	RSR-106-E	
	.375 - .438	RSR-107	RSR-107-E	
	.438 - .500	RSR-108	RSR-108-E	
	.500 - .562	RSR-109	RSR-109-E	
	.562 - .625	RSR-110	RSR-110-E	
	.438 - .500	RSR-1208	RSR-1208-E	
	.500 - .562	RSR-1209	RSR-1209-E	
	.562 - .625	RSR-1210	RSR-1210-E	
	.562 - .688	RSR-1211*	RSR-1211-E	
	.625 - .750	RSR-1212*	RSR-1212-E	
	.688 - .812	RSR-1213*	RSR-1213-E	
3/4"	.125 - .188	RSR-2103	***	
	.188 - .250	RSR-2104	RSR-2104-E	
	.250 - .312	RSR-2105	RSR-2105-E	
	.312 - .375	RSR-2106	RSR-2106-E	
	.375 - .438	RSR-2107	RSR-2107-E	
	.438 - .500	RSR-2108	RSR-2108-E	
	.500 - .562	RSR-2109	RSR-2109-E	
	.562 - .625	RSR-2110	RSR-2110-E	
	.438 - .500	RSR-208	RSR-208-E	
	.500 - .562	RSR-209	RSR-209-E	
	.562 - .625	RSR-210	RSR-210-E	
	.562 - .688	RSR-211	RSR-211-E	
	.625 - .750	RSR-212	RSR-212-E	
	.688 - .812	RSR-213	RSR-213-E	
	.500 - .562	RSR-2309	RSR-2309-E	
	.562 - .625	RSR-2310	RSR-2310-E	
	.562 - .688	RSR-2311	RSR-2311-E	
	.625 - .750	RSR-2312	RSR-2312-E	
	.688 - .812	RSR-2313	RSR-2313-E	
	.750 - .875	RSR-2314*	RSR-2314-E	
	.812 - .938	RSR-2315*	RSR-2315-E	
	.875 - 1.000	RSR-2316*	RSR-2316-E	

*Cable may have to be stripped to pass through the bore of the body

***Contact Remke for mesh availability on this part number

COMPONENT PART NUMBERS



CORD CONNECTORS

WIRE MESH GRIPS

PICO-LINK

MICRO-LINK

ETHERLINK

MINI-LINK

MULTI-PORT BOXES

BUS SYSTEM
PRODUCTS

	Cord Grip Less Bushing	Body Only	Nut Only**	Washer Only	Bushing Only	Nut for Mesh Only	Mesh Only
	RSR-0000-W	RSR-0000-B	RSR-000-N	SW-000	SRB-003	***	***
	RSR-0000-W	RSR-0000-B	RSR-000-N	SW-000	SRB-004	RSR-000-ND	R-005-D
	RSR-0000-W	RSR-0000-B	RSR-000-N	SW-000	SRB-005	RSR-000-ND	R-005-D
	RSR-0000-W	RSR-0000-B	RSR-000-N	SW-000	SRB-006	RSR-000-ND	R-007-D
	RSR-0000-W	RSR-0000-B	RSR-000-N	SW-000	SRB-007	RSR-000-ND	R-007-D
	RSR-000-W	RSR-000-B	RSR-000-N	SW-000	SRB-003	***	***
	RSR-000-W	RSR-000-B	RSR-000-N	SW-000	SRB-004	RSR-000-ND	R-005-D
	RSR-000-W	RSR-000-B	RSR-000-N	SW-000	SRB-005	RSR-000-ND	R-005-D
	RSR-000-W	RSR-000-B	RSR-000-N	SW-000	SRB-006	RSR-000-ND	R-007-D
	RSR-000-W	RSR-000-B	RSR-000-N	SW-000	SRB-007	RSR-000-ND	R-007-D
	RSR-1000-W	RSR-1000-B	RSR-000-N	SW-000	SRB-003	***	***
	RSR-1000-W	RSR-1000-B	RSR-000-N	SW-000	SRB-004	RSR-000-ND	R-005-D
	RSR-1000-W	RSR-1000-B	RSR-000-N	SW-000	SRB-005	RSR-000-ND	R-005-D
	RSR-1000-W	RSR-1000-B	RSR-000-N	SW-000	SRB-006	RSR-000-ND	R-007-D
	RSR-1000-W	RSR-1000-B	RSR-000-N	SW-000	SRB-007	RSR-000-ND	R-007-D
	RSR-100-W	RSR-100-B	RSR-100-N	SW-100	SRB-103	***	***
	RSR-100-W	RSR-100-B	RSR-100-N	SW-100	SRB-104	RSR-100-ND	R-104-D
	RSR-100-W	RSR-100-B	RSR-100-N	SW-100	SRB-105	RSR-100-ND	R-106-D
	RSR-100-W	RSR-100-B	RSR-100-N	SW-100	SRB-106	RSR-100-ND	R-106-D
	RSR-100-W	RSR-100-B	RSR-100-N	SW-100	SRB-107	RSR-100-ND	R-108-D
	RSR-100-W	RSR-100-B	RSR-100-N	SW-100	SRB-108	RSR-100-ND	R-108-D
	RSR-100-W	RSR-100-B	RSR-100-N	SW-100	SRB-109	RSR-100-ND	R-110-D
	RSR-100-W	RSR-100-B	RSR-100-N	SW-100	SRB-110	RSR-100-ND	R-110-D
	RSR-1200-W	RSR-1200-B	RSR-200-N	SW-200	SRB-208	RSR-200-ND	R-210-D
	RSR-1200-W	RSR-1200-B	RSR-200-N	SW-200	SRB-209	RSR-200-ND	R-210-D
	RSR-1200-W	RSR-1200-B	RSR-200-N	SW-200	SRB-210	RSR-200-ND	R-210-D
	RSR-1200-W	RSR-1200-B	RSR-200-N	SW-200	SRB-211	RSR-200-ND	R-212-D
	RSR-1200-W	RSR-1200-B	RSR-200-N	SW-200	SRB-212	RSR-200-ND	R-212-D
	RSR-1200-W	RSR-1200-B	RSR-200-N	SW-200	SRB-213	RSR-200-ND	R-214-D
	RSR-2100-W	RSR-2100-B	RSR-100-N	SW-100	SRB-103	***	***
	RSR-2100-W	RSR-2100-B	RSR-100-N	SW-100	SRB-104	RSR-100-ND	R-104-D
	RSR-2100-W	RSR-2100-B	RSR-100-N	SW-100	SRB-105	RSR-100-ND	R-106-D
	RSR-2100-W	RSR-2100-B	RSR-100-N	SW-100	SRB-106	RSR-100-ND	R-106-D
	RSR-2100-W	RSR-2100-B	RSR-100-N	SW-100	SRB-107	RSR-100-ND	R-108-D
	RSR-2100-W	RSR-2100-B	RSR-100-N	SW-100	SRB-108	RSR-100-ND	R-108-D
	RSR-2100-W	RSR-2100-B	RSR-100-N	SW-100	SRB-109	RSR-100-ND	R-110-D
	RSR-2100-W	RSR-2100-B	RSR-100-N	SW-100	SRB-110	RSR-100-ND	R-110-D
	RSR-200-W	RSR-200-B	RSR-200-N	SW-200	SRB-208	RSR-200-ND	R-210-D
	RSR-200-W	RSR-200-B	RSR-200-N	SW-200	SRB-209	RSR-200-ND	R-210-D
	RSR-200-W	RSR-200-B	RSR-200-N	SW-200	SRB-210	RSR-200-ND	R-210-D
	RSR-200-W	RSR-200-B	RSR-200-N	SW-200	SRB-211	RSR-200-ND	R-212-D
	RSR-200-W	RSR-200-B	RSR-200-N	SW-200	SRB-212	RSR-200-ND	R-212-D
	RSR-200-W	RSR-200-B	RSR-200-N	SW-200	SRB-213	RSR-200-ND	R-214-D
	RSR-2300-W	RSR-2300-B	RSR-300-N	SW-300	SRB-309	RSR-300-ND2	R-210-D
	RSR-2300-W	RSR-2300-B	RSR-300-N	SW-300	SRB-310	RSR-300-ND2	R-210-D
	RSR-2300-W	RSR-2300-B	RSR-300-N	SW-300	SRB-311	RSR-300-ND2	R-212-D
	RSR-2300-W	RSR-2300-B	RSR-300-N	SW-300	SRB-312	RSR-300-ND2	R-212-D
	RSR-2300-W	RSR-2300-B	RSR-300-N	SW-300	SRB-313	RSR-300-ND	R-314-D
	RSR-2300-W	RSR-2300-B	RSR-300-N	SW-300	SRB-314	RSR-300-ND	R-314-D
	RSR-2300-W	RSR-2300-B	RSR-300-N	SW-300	SRB-315	RSR-300-ND	R-316-D
	RSR-2300-W	RSR-2300-B	RSR-300-N	SW-300	SRB-316	RSR-300-ND	R-316-D

**Nuts sold as components are marked UL/CSA

***Contact Remke for mesh availability on this part number





RSR SERIES ALUMINUM CORD GRIPS



RSR SERIES STRAIGHT ALUMINUM CORD GRIPS (CONTINUED FROM PAGES 12-13)

For applications known for their severe conditions – such as oil and gas, marine, food & chemical processing – RSR Cord Grips are available in nickel-plated aluminum. Providing exceptional corrosion resistance and high wear resistance, nickel plated connectors also feature an attractive finish similar to that of polished stainless steel.

Tuff-Seal™ RSR Cord Grips protect cable from damage and pull-out and are used in conduit hubs or knockouts at the point where the electrical cable is to be terminated.

(Continues on pages 16-17)

NOTES

CORD GRIP ACCESSORIES

Locknuts: add "-L" to any part number

O-Rings: add "-R" to any part number

OPTION: NICKEL-PLATED ALUMINUM

Add 'N' to end of prefix e.g. RSR-0003 becomes RSRN-0003

OPTION: ANODIZED ALUMINUM

Add 'A' to end of prefix e.g. RSR-0003 becomes RSRA-0003.

SPECIAL CONFIGURATIONS

Special configurations and materials are available. Consult factory.



All wire mesh is stainless steel.

Dimension & certification information on pages 62 & 64 in Tuff-Seal Technical Reference



Suitable for
use in
corrosive
environments

COMPLETE ASSEMBLY PART NUMBERS






RSR SERIES ALUMINUM CORD GRIPS

Conduit Size (NPT)	Cable Range	Cord Grip	Cord Grip With Mesh	
1"	.500 – .562	RSR-309	RSR-309-E	
	.562 – .625	RSR-310	RSR-310-E	
	.562 – .688	RSR-311	RSR-311-E	
	.625 – .750	RSR-312	RSR-312-E	
	.688 – .812	RSR-313	RSR-313-E	
	.750 – .875	RSR-314	RSR-314-E	
	.812 – .938	RSR-315	RSR-315-E	
	.875 – 1.000	RSR-316	RSR-316-E	
	.875 – 1.000	RSR-3516	RSR-3516-E	
	1.000 – 1.125	RSR-3518	RSR-3518-E	
	1.125 – 1.250	RSR-3520*	RSR-3520-E	
	1.250 – 1.375	RSR-3522*	RSR-3522-E	
1 1/4"	.562 – .688	RSR-411	**	
	.688 – .812	RSR-413	**	
	.750 – .875	RSR-414	RSR-414-E	
	.875 – 1.000	RSR-416	RSR-416-E	
	1.000 – 1.125	RSR-418	RSR-418-E	
	1.125 – 1.250	RSR-420*	RSR-420-E	
	1.250 – 1.375	RSR-422*	RSR-422-E	
1 1/2"	.562 – .688	RSR-511	**	
	.688 – .812	RSR-513	**	
	.750 – .875	RSR-514	RSR-514-E	
	.875 – 1.000	RSR-516	RSR-516-E	
	1.000 – 1.125	RSR-518	RSR-518-E	
	1.125 – 1.250	RSR-520	RSR-520-E	
	1.250 – 1.375	RSR-522	RSR-522-E	
	1.250 – 1.375	RSR-5622	RSR-5622-E	
	1.312 – 1.437	RSR-5623	RSR-5623-E	
	1.438 – 1.562	RSR-5625	RSR-5625-E	
2"	1.562 – 1.688	RSR-5627*	RSR-5627-E	
	1.688 – 1.800	RSR-5629*	RSR-5629-E	
	1.250 – 1.375	RSR-622	RSR-622-E	
	1.312 – 1.437	RSR-623	RSR-623-E	
	1.438 – 1.562	RSR-625	RSR-625-E	
	1.562 – 1.688	RSR-627	RSR-627-E	
	1.688 – 1.800	RSR-629	RSR-629-E	
	1.688 – 1.812	RSR-6729	RSR-6729-E	
	1.812 – 1.938	RSR-6731	RSR-6731-E	
	1.938 – 2.062	RSR-6733*	RSR-6733-E	
	2.062 – 2.188	RSR-6735*	RSR-6735-E	
	2.188 – 2.312	RSR-6737*	RSR-6737-E	
	2.312 – 2.438	RSR-6739*	RSR-6739-E	

*Cable may have to be stripped to pass through the bore of the body

**Contact Remke for mesh availability on this part number

COMPONENT PART NUMBERS



CORD CONNECTORS

WIRE MESH GRIPS

PICO-LINK

MICRO-LINK

ETHERLINK

MINI-LINK

MULTI-PORT BOXES

BUS SYSTEM
PRODUCTS

	Cord Grip Less Bushing	Body Only	Nut Only	Washer Only	Bushing Only	Nut for Mesh Only	Mesh Only
	RSR-300-W	RSR-300-B	RSR-300-N	SW-300	SRB-309	RSR-300-ND2	R-210-D
	RSR-300-W	RSR-300-B	RSR-300-N	SW-300	SRB-310	RSR-300-ND2	R-210-D
	RSR-300-W	RSR-300-B	RSR-300-N	SW-300	SRB-311	RSR-300-ND2	R-212-D
	RSR-300-W	RSR-300-B	RSR-300-N	SW-300	SRB-312	RSR-300-ND2	R-212-D
	RSR-300-W	RSR-300-B	RSR-300-N	SW-300	SRB-313	RSR-300-ND	R-314-D
	RSR-300-W	RSR-300-B	RSR-300-N	SW-300	SRB-314	RSR-300-ND	R-314-D
	RSR-300-W	RSR-300-B	RSR-300-N	SW-300	SRB-315	RSR-300-ND	R-316-D
	RSR-300-W	RSR-300-B	RSR-300-N	SW-300	SRB-316	RSR-300-ND	R-316-D
	RSR-3500-W	RSR-3500-B	RSR-500-N	SW-500	SRB-516	RSR-500-ND	R-516-D
	RSR-3500-W	RSR-3500-B	RSR-500-N	SW-500	SRB-518	RSR-500-ND	R-518-D
	RSR-3500-W	RSR-3500-B	RSR-500-N	SW-500	SRB-520	RSR-500-ND	R-520-D
	RSR-3500-W	RSR-3500-B	RSR-500-N	SW-500	SRB-522	RSR-500-ND	R-522-D
	RSR-400-W	RSR-400-B	RSR-500-N	SW-500	SRB-511	**	**
	RSR-400-W	RSR-400-B	RSR-500-N	SW-500	SRB-513	**	**
	RSR-400-W	RSR-400-B	RSR-500-N	SW-500	SRB-514	RSR-500-ND	R-516-D
	RSR-400-W	RSR-400-B	RSR-500-N	SW-500	SRB-516	RSR-500-ND	R-516-D
	RSR-400-W	RSR-400-B	RSR-500-N	SW-500	SRB-518	RSR-500-ND	R-518-D
	RSR-400-W	RSR-400-B	RSR-500-N	SW-500	SRB-520	RSR-500-ND	R-520-D
	RSR-400-W	RSR-400-B	RSR-500-N	SW-500	SRB-522	RSR-500-ND	R-522-D
	RSR-500-W	RSR-500-B	RSR-500-N	SW-500	SRB-511	**	**
	RSR-500-W	RSR-500-B	RSR-500-N	SW-500	SRB-513	**	**
	RSR-500-W	RSR-500-B	RSR-500-N	SW-500	SRB-514	RSR-500-ND	R-516-D
	RSR-500-W	RSR-500-B	RSR-500-N	SW-500	SRB-516	RSR-500-ND	R-516-D
	RSR-500-W	RSR-500-B	RSR-500-N	SW-500	SRB-518	RSR-500-ND	R-518-D
	RSR-500-W	RSR-500-B	RSR-500-N	SW-500	SRB-520	RSR-500-ND	R-520-D
	RSR-500-W	RSR-500-B	RSR-500-N	SW-500	SRB-522	RSR-500-ND	R-522-D
	RSR-5600-W	RSR-5600-B	RSR-600-N	SW-600	SRB-622	RSR-600-ND	R-625-D
	RSR-5600-W	RSR-5600-B	RSR-600-N	SW-600	SRB-623	RSR-600-ND	R-625-D
	RSR-5600-W	RSR-5600-B	RSR-600-N	SW-600	SRB-625	RSR-600-ND	R-625-D
	RSR-5600-W	RSR-5600-B	RSR-600-N	SW-600	SRB-627	RSR-600-ND	R-627-D
	RSR-5600-W	RSR-5600-B	RSR-600-N	SW-600	SRB-629	RSR-600-ND	R-629-D
	RSR-600-W	RSR-600-B	RSR-600-N	SW-600	SRB-622	RSR-600-ND	R-625-D
	RSR-600-W	RSR-600-B	RSR-600-N	SW-600	SRB-623	RSR-600-ND	R-625-D
	RSR-600-W	RSR-600-B	RSR-600-N	SW-600	SRB-625	RSR-600-ND	R-625-D
	RSR-600-W	RSR-600-B	RSR-600-N	SW-600	SRB-627	RSR-600-ND	R-627-D
	RSR-600-W	RSR-600-B	RSR-600-N	SW-600	SRB-629	RSR-600-ND	R-629-D
	RSR-6700-W	RSR-6700-B	RSR-700-N	SW-700	SRB-729	RSR-700-ND	R-729-D
	RSR-6700-W	RSR-6700-B	RSR-700-N	SW-700	SRB-731	RSR-700-ND	R-733-D
	RSR-6700-W	RSR-6700-B	RSR-700-N	SW-700	SRB-733	RSR-700-ND	R-733-D
	RSR-6700-W	RSR-6700-B	RSR-700-N	SW-700	SRB-735	RSR-700-ND	R-737-D
	RSR-6700-W	RSR-6700-B	RSR-700-N	SW-700	SRB-737	RSR-700-ND	R-737-D
	RSR-6700-W	RSR-6700-B	RSR-700-N	SW-700	SRB-739	RSR-700-ND	R-739-D

**Contact Remke for mesh availability on this part number





RSR SERIES ALUMINUM CORD GRIPS



RSR SERIES STRAIGHT ALUMINUM CORD GRIPS (CONTINUED FROM PAGES 14-15)

For applications known for their severe conditions – such as oil and gas, marine, food & chemical processing – RSR Cord Grips are available in nickel-plated aluminum. Providing exceptional corrosion resistance and high wear resistance, nickelplated connectors also feature an attractive finish similar to that of polished stainless steel.

Tuff-Seal™ RSR Cord Grips protect cable from damage and pull-out and are used in conduit hubs or knockouts at the point where the electrical cable is to be terminated.

NOTES

CORD GRIP ACCESSORIES

Locknuts: add "-L" to any part number

O-Rings: add "-R" to any part number

OPTION: NICKEL-PLATED ALUMINUM

Add 'N' to end of prefix e.g. RSR-0003 becomes RSRN-0003

OPTION: ANODIZED ALUMINUM

Add 'A' to end of prefix e.g. RSR-0003 becomes RSRA-0003.

SPECIAL CONFIGURATIONS



Special configurations and materials are available. Consult factory.

All wire mesh is stainless steel.

Dimension & certification information on pages 62 & 64 in Tuff-Seal Technical Reference



COMPLETE ASSEMBLY PART NUMBERS





RSR SERIES ALUMINUM CORD GRIPS

Conduit Size (NPT)	Cable Range	Cord Grip	Cord Grip With Mesh	
2 1/2"	1.688 – 1.812	RSR-729	RSR-729-E	
	1.812 – 1.938	RSR-731	RSR-731-E	
	1.938 – 2.062	RSR-733	RSR-733-E	
	2.062 – 2.188	RSR-735	RSR-735-E	
	2.188 – 2.312	RSR-737	RSR-737-E	
	2.312 – 2.438	RSR-739*	RSR-739-E	
3"	1.688 – 1.812	RSR-8729	RSR-8729-E	
	1.812 – 1.938	RSR-8731	RSR-8731-E	
	1.938 – 2.062	RSR-8733	RSR-8733-E	
	2.062 – 2.188	RSR-8735	RSR-8735-E	
	2.188 – 2.312	RSR-8737	RSR-8737-E	
	2.312 – 2.438	RSR-8739*	RSR-8739-E	
	2.437 – 2.625	RSR-901	RSR-901-E	
	2.625 – 2.812	RSR-902	RSR-902-E	
	2.812 – 3.000	RSR-903	RSR-903-E	
	3.000 – 3.250	RSR-904	RSR-904-E	
3 1/2"	3.000 - 3.180	RSR-1151	RSR-1151-E	
	3.180 - 3.335	RSR-1152	RSR-1152-E	
	3.335 - 3.530	RSR-1153	RSR-1153-E	
4"	3.500 - 3.690	RSR-1251	RSR-1251-E	
	3.690 - 3.855	RSR-1252	RSR-1252-E	
	3.855 - 4.025	RSR-1253	RSR-1253-E	

*Cable may have to be stripped to pass through the bore of the body

COMPONENT PART NUMBERS



CORD CONNECTORS

WIRE MESH GRIPS

PICO-LINK

MICRO-LINK

ETHERLINK

MINI-LINK

MULTI-PORT BOXES

BUS SYSTEM
PRODUCTS

	Cord Grip Less Bushing	Body Only	Nut Only	Washer Only	Bushing Only	Nut for Mesh Only	Mesh Only
	RSR-700-W	RSR-700-B	RSR-700-N	SW-700	SRB-729	RSR-700-ND	R-729-D
	RSR-700-W	RSR-700-B	RSR-700-N	SW-700	SRB-731	RSR-700-ND	R-733-D
	RSR-700-W	RSR-700-B	RSR-700-N	SW-700	SRB-733	RSR-700-ND	R-733-D
	RSR-700-W	RSR-700-B	RSR-700-N	SW-700	SRB-735	RSR-700-ND	R-737-D
	RSR-700-W	RSR-700-B	RSR-700-N	SW-700	SRB-737	RSR-700-ND	R-737-D
	RSR-700-W	RSR-700-B	RSR-700-N	SW-700	SRB-739	RSR-700-ND	R-739-D
	RSR-8700-W	RSR-8700-B	RSR-700-N	SW-700	SRB-729	RSR-700-ND	R-729-D
	RSR-8700-W	RSR-8700-B	RSR-700-N	SW-700	SRB-731	RSR-700-ND	R-733-D
	RSR-8700-W	RSR-8700-B	RSR-700-N	SW-700	SRB-733	RSR-700-ND	R-733-D
	RSR-8700-W	RSR-8700-B	RSR-700-N	SW-700	SRB-735	RSR-700-ND	R-737-D
	RSR-8700-W	RSR-8700-B	RSR-700-N	SW-700	SRB-737	RSR-700-ND	R-737-D
	RSR-8700-W	RSR-8700-B	RSR-700-N	SW-700	SRB-739	RSR-700-ND	R-739-D
	RSR-900-W	RSR-900-B	RSR-900-N	SW-913	SRB-901	RSR-900-ND	R-902-D
	RSR-900-W	RSR-900-B	RSR-900-N	SW-913	SRB-902	RSR-900-ND	R-902-D
	RSR-900-W	RSR-900-B	RSR-900-N	SW-913	SRB-903	RSR-900-ND	R-904-D
	RSR-900-W	RSR-900-B	RSR-900-N	SW-913	SRB-904	RSR-900-ND	R-904-D
	RSR-1150-W	RSR-1150-B	TK-1100-N	SW-1100	SRB-1101	TK-1100-ND	R-1100-D
	RSR-1150-W	RSR-1150-B	TK-1100-N	SW-1100	SRB-1102	TK-1100-ND	R-1100-D
	RSR-1150-W	RSR-1150-B	TK-1100-N	SW-1100	SRB-1103	TK-1100-ND	R-1100-D
	RSR-1250-W	RSR-1250-B	TK-1200-N	SW-1200	SRB-1201	TK-1200-ND	R-1200-D
	RSR-1250-W	RSR-1250-B	TK-1200-N	SW-1200	SRB-1202	TK-1200-ND	R-1200-D
	RSR-1250-W	RSR-1250-B	TK-1200-N	SW-1200	SRB-1203	TK-1200-ND	R-1200-D

